

VERSE Structures

TRL 9

1U-16U CUBESAT FORM FACTOR

2NDSpace derives from a decade of experience of the 2NDSpace team in the design of space systems and successful nanosatellites missions. All 2NDSpace products are conceived to offer performance excellence combined with customization-as-a-standard approach and reduced lead time.

The experience allowed to design an innovative layout that guarantees performance above the market standard combined with an incredible level of accessibility and error-free assembly process, fundamental for achieving mission success.



High Performance and modular CubeSat structures

Customization as standard

Flexible, fast, and mistakes-exempt platform integration

User-definable aperture layout

Compatible with CDS & commercial components

Maximized ease of integration and accessibility

Enhanced structural performances

PRODUCT PORTFOLIO

	VERSE-01	VERSE-02	VERSE-03	VERSE-06	VERSE-08	VERSE-12	VERSE-16
Form Factor	1U	2U	3U	6U	8U	12U	16U
Dimensions [mm]	100x100x113,5	100x100x227	100x100x340,5	100x226,3x366 100x226,3x340,5	100x226,3x454	226x226,3x366 226x226,3x340,5	226,3x226,3x454
Weight [g]	94	198	288	686*	850	1210*	1524*
Stack number	1	1/2	1/2/3	Custom	Custom	Custom	Custom
Deployment Switches	6	6	6	6	6	6	6
End-frames	Standard	Standard	Standard	Custom	Custom	Custom	Custom

QUALIFICATION AND ACCEPTANCE TEST

	Functional/AIT	Electrical Test/Flash	Vibration test	Mechanical Shock	TVAC Test
Qualification Test	✓	✓	NASA GEVS: GSFC-STD-7000A ESA ECSS-E-ST-10-03C	NASA GEVS: GSFC-STD-7000A ESA ECSS-E-ST-10-03C	NASA GEVS: GSFC-STD-7000A ESA ECSS-E-ST-10-03C
Acceptance Test	✓	✓			



- **Highly Customizable Design** supporting extensive modifications to meet specific mission requirements
- Available in sizes ranging from **1U to 16U** to accommodate diverse payload and subsystem needs.
- Fully adheres to **CubeSat specifications**, compatible with global launch service providers and COTS components.
- **Third-Party Subsystem Compatibility** to integrate seamlessly with a wide range of commercially available CubeSat subsystems.
- **Ease of Assembly and Integration** to simplify assembly process, facilitating rapid integration and testing cycles for developers.
- **Thermal Management** integrating radiators and heat management/thermal dissipation devices.
- **Support Multiple Payload Configurations** offering flexibility in mounting points to support unique payload orientations or subsystem placements
- **Modular Add-Ons** to integrate additional supporting elements for multiple mounting options

